UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/667,712	09/22/2003	Junji Maeda	JP920020148US1	1417
	7590	EXAMINER		
P.O. Box 7206		STACE, BRENT S		
Ranco Santa Fe, CA 92067			ART UNIT	PAPER NUMBER
			2161	
			MAIL DATE	DELIVERY MODE
			05/20/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)					
	10/667,712	MAEDA ET AL.					
Office Action Summary	Examiner	Art Unit					
	BRENT STACE	2161					
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1) Responsive to communication(s) filed on 12 Ma	arch 2009.						
•	· · · · · · · · · · · · · · · · · · ·						
<i>,</i> —	/						
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4)⊠ Claim(s) <u>1,3-5,7-9,13,15,20,22,23,25-27,29-31,35,37,42 and 44-47</u> is/are pending in the application.							
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1,3-5,7-9,13,15,20,22,23,25-27,29-31,35,37,42 and 44-47</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or	8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers							
9)☐ The specification is objected to by the Examiner.							
10)⊠ The drawing(s) filed on <u>12 March 2009</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
Attachment(s) 1) X Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)							
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date							
3) Information Disclosure Statement(s) (PTO/SB/08)							
Paper No(s)/Mail Date 6) Other:							

Art Unit: 2161

DETAILED ACTION

Remarks

1. This communication is responsive to the amendment filed March 12th, 2009. Claims 1, 3-5, 7-9, 13, 15, 20, 22, 23, 25-27, 29-31, 35, 37, 42, and 44-47 are pending. In the amendment filed March 12th, 2009, Claims 1, 5, 13, 20, 23, 27, 35, 42, and 45 are amended, Claim 47 is new, Claims 2, 6, 10-12, 14, 16-19, 21, 24, 28, 32-34, 36, 38-41, and 43 are canceled, and Claims 1, 5, 13, 20, 23, 27, 35, 42, and 45 are independent Claims. The examiner acknowledges that no new matter was introduced and the claims are supported by the specification. This action is made FINAL.

Response to Arguments

- 2. Applicant's arguments filed March 12th, 2009 with respect to Claims 1, 3-5, 7-9, 13, 15, 20, 22, 23, 25-27, 29-31, 35, 37, 42, and 44-47 have been considered but are moot in view of the new ground(s) of rejection.
- 3. As to the applicant's arguments with respect to exemplary Claim 1 (including Claims 5, 13, 20, 23, 27, 35, 42, and 45) for the prior art(s) allegedly not teaching or suggesting "wherein said node priority presentation means presents a node priority which is set based on a characteristic of the appearance of said node when displayed," the examiner respectfully submits that this argument is moot in view of the new ground(s) of rejection below.
- 4. The other claims argued merely because of a dependency on a previously argued claim(s) in the arguments presented to the examiner, dated March 12th, 2009,

Art Unit: 2161

are moot in view of the examiner's interpretation of the claims and art and are still considered rejected based on their respective rejections from at least a prior Office action (part(s) of recited again below).

Response to Amendment

Specification

5. The lengthy specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

Drawings

- 6. In light of the applicant's respective arguments or respective amendments, the previous drawing objections to the drawings have been withdrawn.
- 7. Since the lengthy specification has not been checked to the extent necessary to determine the presence of all possible minor errors, Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the drawings. For example, the drawings should be carefully checked to ensure that all reference numerals are described in the specification, that no one reference numeral describes two separate drawing elements, or that the specification contains no reference to numerals not in the drawings.

Art Unit: 2161

Claim Rejections - 35 USC § 102

8. In light of the applicant's respective arguments or respective amendments, the previous 35 USC § 102 rejections to the claims have been withdrawn.

Claim Rejections - 35 USC § 103

- 9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 10. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 11. Claims 1, 3, 4, 23, 25, 26, and 47 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent Application Publication No. 2003/0236903 (Piotrowski) in view of U.S. Patent No. 5,899,995 (Miller et al.), further in view of U.S. Patent Application Publication No. 2002/0143817 (Dutta et al.).

Art Unit: 2161

For **Claim 1**, Piotrowski teaches: "A tree-structured document transmitting and receiving system having a tree-structured document transmitting apparatus and a tree-structured document receiving apparatus, [Piotrowski, Fig. 1 with Piotrowski, paragraph [0022]] said tree-structured document transmitting apparatus having:

Page 5

- ...of storing a plurality of tree-structured documents; [Piotrowski, paragraphs
 [0022]-[0023]]
- node priority presentation means of presenting a node priority [Piotrowski, paragraph [0019]] which is set with respect to each of nodes [Piotrowski, paragraph [0017] with Piotrowski, paragraph [0022]] of a tree-structured document on the basis of the importance of an information portion to be presented from the node to a receiving-side user [Piotrowski, paragraph [0015] with Piotrowski, paragraphs [0007]-[0008] with Piotrowski, paragraph [0025]] while satisfying two conditions: a first condition that the node priority of the node is equal to or lower than that of a node which is an ancestor of that node, [Piotrowski, paragraph [0017] with Piotrowski, paragraphs [0008]-[0009]] and a second condition that if a plurality of nodes of the same priority exist, the nodes necessarily constitute one subtree; [Piotrowski, paragraph [0017] with Piotrowski, paragraphs [0008]-[0009]]
- node stream generation means [Piotrowski, paragraph [0022]] of reading out a
 tree-structured document to be transmitted from the tree-structured document
 storage means and generating a node stream in which nodes and/or subtrees

Art Unit: 2161

are arranged in a sequence on the basis of node priorities presented by said node priority presentation means; [Piotrowski, paragraphs [0007]-[0008]] and

Page 6

- transmitting means of converting said node stream into a signal based on a
 predetermined network protocol and transmitting the signal, [Piotrowski,
 paragraph [0015] with Piotrowski, Fig. 1] said tree-structured document receiving
 apparatus having:
- receiving means of restoring the node stream from the signal received by said predetermined network protocol from said transmitting means; [Piotrowski, paragraph [0015] with Piotrowski, paragraphs [0023]-[0025]]
- extraction means of extracting at least one of the nodes or the subtrees from the node stream restored by said receiving means according to the sequence of arrangement in the node stream; [Piotrowski, paragraph [0015] with Piotrowski, paragraphs [0023]-[0025]]
- reconstruction means of adding at least one of the nodes or the subtrees in the
 extraction order to the tree-structured document under reconstruction;
 [Piotrowski, paragraph [0015] with Piotrowski, paragraphs [0023]-[0025]] and
- display means of displaying the tree-structured document in the current reconstructed state; [Piotrowski, paragraph [0025] with Piotrowski, paragraph [0009]]
- wherein said tree-structured document transmitting apparatus further has:
- descendant substitute display information storage means of storing descendant substitute display information for substitute display on said display means of said

Art Unit: 2161

Page 7

tree-structured document receiving apparatus for descendant nodes with respect to at least one of a node or a subtree existing as a parent of the descendant node; [Piotrowski, paragraph [0017] with Piotrowski, paragraph [0018]] and

- descendant substitute display information addition means of making the node stream generation means generate as said node stream a stream in which the descendant substitute display information read out from said descendant substitute display information storage means is added immediately after at least one of the node or the subtree existing as a parent of the descendant node, [Piotrowski, paragraph [0017] with Piotrowski, paragraph [0018]] and
- wherein, in said tree-structured document receiving apparatus, said extraction means extracts at least one of the nodes or the subtrees and the descendant substitute display information from the node stream restored by said receiving means according to the sequence of arrangement in the node stream; [Piotrowski, paragraph [0017] with Piotrowski, paragraph [0018] with Piotrowski, paragraph [0015] with Piotrowski, paragraphs [0023]-[0025]] and
- said reconstruction means adds a substitute structure portion relating to the
 descendant substitute display information to the tree structure under
 reconstruction in place of the descendant node relating to the descendant
 substitute display information when said extraction means extracts the
 descendant substitute display information [Piotrowski, paragraph [0017] with
 Piotrowski, paragraph [0018] with Piotrowski, paragraph [0009]]

Art Unit: 2161

wherein said display means displays said descendant substitute display
information" [Piotrowski, paragraph [0018] with Piotrowski, paragraph [0025]].
 Piotrowski discloses the above limitations but does not expressly teach:

Page 8

- "...tree-structured document storage means
- ...wherein said node priority presentation means presents a node priority which
 is set based on a characteristic of the appearance of said node when displayed."
 With respect to Claim 1, an analogous art, Miller, teaches:
- "...tree-structured document storage means" [Miller, col. 6, lines 60-67].
 With respect to Claim 1, an analogous art, Dutta, teaches:
- "...wherein said node priority presentation means presents a node priority which
 is set based on a characteristic of the appearance of said node when displayed"
 [Dutta, paragraph [0022]].

It would have been obvious to one of ordinary skill in the art at the time of invention to combine Miller and Dutta with Piotrowski because the inventions are directed towards storing files.

Miller and Dutta's inventions would have been expected to successfully work well with Piotrowski's invention because the inventions use storage areas. Piotrowski discloses a method and apparatus for structured streaming of an XML document comprising storage devices, however Piotrowski does not expressly disclose that the storage devices are tree-structured, wherein said node priority is set based on a characteristic of the appearance of said node when displayed, nor where the appearance is underlined. Miller discloses a method and apparatus for automatically

Art Unit: 2161

organizing information comprising storage areas and a storage manager that files documents into appropriate folders and/or storage areas. Dutta discloses the presentation of salient features in a page to a visually impaired user (title) comprising showing only part of a document prior to optionally showing the rest.

It would have been obvious to one of ordinary skill in the art at the time of invention to take the folders/files from Miller and the presentation of salient features from Dutta and install them into the invention of Piotrowski, thereby offering the obvious advantage of having an organized way of storing items on the storage device and obtaining an overview of the document (Dutta, paragraph [0022]).

Claim 3 can be mapped to Piotrowski (as modified by Miller and Dutta) as follows: "The tree-structured document transmitting and receiving system according to claim 1, wherein, in said tree-structured document receiving apparatus, said reconstruction means immediately replaces the substitute tree-structured portion relating to the descendant substitute display information in the tree structure under reconstruction with the descendant node when said extraction means extracts the descendant node while substitute display for the descendant node according to the descendant substitute display information is being performed" [Piotrowski, paragraph [0009] with Piotrowski, paragraph [0025]].

Claim 4 can be mapped to Piotrowski (as modified by Miller and Dutta) as follows: "The tree-structured document transmitting and receiving system according to claim 1, wherein said tree-structured document transmitting apparatus further has node priority setting means of determining the importance of an information portion to be

Art Unit: 2161

presented from each node to the receiving-side user on the basis of a content of the node, an attribute of the node, a content of the document, an attribute of the document, the tree structure, a user instruction from a transmitting-side user, or a user instruction from the receiving-side user, and setting a node priority on the basis of the determination, [Piotrowski paragraph [0019]] and

wherein, in said tree-structured document transmitting apparatus, said node
priority presentation means presents the node priority set by said node priority
setting means" [Piotrowski paragraph [0019]].

Claims 23, 25, and 26 encompass substantially the same scope of the invention as that of Claims 1, 3, and 4, respectfully, in addition to a method and some steps for performing the system means of Claims 1, 3, and 4, respectfully. Therefore, Claims 23, 25, and 26 are rejected for the same reasons as stated above with respect to Claims 1, 3, and 4, respectfully.

Claim 47 can be mapped to Piotrowski (as modified by Miller and Dutta) as follows: "A system according to claim 1 wherein said appearance comprises the presence of a background color, an itemized list, or an underline" [Dutta, paragraph [0022]].

12. Claims 5, 7-9, 27, and 29-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent Application Publication No. 2003/0236903 (Piotrowski) in view of U.S. Patent No. 5,899,995 (Miller et al.) in view of U.S. Patent No. 5,790,937

Art Unit: 2161

(Gutle), in view of U.S. Patent No. 5,907,841 (Sumita), in view of U.S. Patent Application Publication No. 2002/0143817 (Dutta et al.).

For **Claim 5**, Piotrowski teaches: "A tree-structured document transmitting and receiving system having a tree-structured document transmitting apparatus and a tree-structured document receiving apparatus, [Piotrowski, Fig. 1 with Piotrowski, paragraph [0022]] said tree-structured document transmitting apparatus having:

- ... of storing a plurality of tree-structured documents; [Piotrowski, paragraphs
 [0022]-[0023]]
 - ... document-by-document encoding means [Piotrowski, paragraphs [0015]-[0017]]..., and each having node priority presentation means [Piotrowski, paragraph [0019]] and node stream generation means, [Piotrowski, paragraph [0022]] said node priority presentation means presenting a node priority which is set with respect to each of nodes [Piotrowski, paragraph [0017] with Piotrowski, paragraph [0022]] of said assigned tree-structured document on the basis of the importance of an information portion to be presented from the node to a receiving-side user [Piotrowski, paragraph [0015] with Piotrowski, paragraphs [0007]-[0008] with Piotrowski, paragraph [0025]] while satisfying two conditions: a first condition that the node priority of the node is equal to or lower than that of a node which is an ancestor of that node, [Piotrowski, paragraph [0017] with Piotrowski, paragraphs [0008]-[0009]] and a second condition that if a plurality of nodes of the same priority exist, the nodes necessarily constitute one subtree, [Piotrowski, paragraphs [0008]-[0009]] said

Art Unit: 2161

node stream generation means reading out a tree-structured document to be transmitted from the tree-structured document storage means and generating a node stream in which at least one of the nodes or the subtrees are arranged in a sequence on the basis of node priorities presented by said node priority presentation means; [Piotrowski, paragraphs [0007]-[0008]]

- stream generation means [Piotrowski, paragraph [0022]] of generating one multiplexed stream by multiplexing the node streams from said document-by-document encoding means, sequences in which at least one of the nodes or the subtrees of the tree-structured documents are arranged being placed in the multiplexed stream according to the inter-document priorities presented by said inter-document priority presentation means with respect to the tree-structured documents containing at least one of the nodes or the subtrees; [Piotrowski, paragraphs [0007]-[0008]] and
- transmitting means of transmitting said multiplexed stream by converting said multiplexed stream on the basis of a predetermined network protocol,
 [Piotrowski, paragraph [0015] with Piotrowski, Fig. 1] said tree-structured document receiving apparatus having:
- receiving means of restoring the multiplexed stream from the signal received by said predetermined network protocol from said transmitting means; [Piotrowski, paragraph [0015] with Piotrowski, paragraphs [0023]-[0025]]
- ... document-by-document decoding means...[Piotrowski, paragraph [0015] with
 Piotrowski, paragraphs [0023]-[0025]], and each including extraction means and

Art Unit: 2161

reconstruction means, said extraction means extracting the nodes subtrees from said processing-assigned node stream according to the sequence of arrangement in the node stream, said reconstruction means adding at least one of the node or the subtree in the extraction order to the tree-structured document under reconstruction; [Piotrowski, paragraph [0015] with Piotrowski, paragraphs [0023]-[0025]] and

- display means of displaying the tree-structured document under reconstruction in each document-by-document decoding means, the tree structure being displayed in the current reconstructed state at a corresponding position; [Piotrowski, paragraph [0025] with Piotrowski, paragraph [0009]]
- wherein, in said tree-structured document transmitting apparatus, said documentby-document encoding means further includes:
- descendant substitute display information storage means of storing descendant substitute display information for substitute display on said display means of said tree-structured document receiving apparatus for descendant nodes with respect to at least one of a node or a subtree existing as a parent of the descendant node; [Piotrowski, paragraph [0017] with Piotrowski, paragraph [0018]] and
- descendant substitute display information addition means of making the node stream generation means generate as said node stream a stream in which the descendant substitute display information read out from said descendant substitute display information storage means is added immediately after at least

Art Unit: 2161

one of the node or a subtree existing as a parent of the descendant node, [Piotrowski, paragraph [0017] with Piotrowski, paragraph [0018]] and

- wherein, in each document-by-document decoding means of said tree-structured document receiving apparatus, said extraction means extracts the nodes or subtrees and the descendant substitute display information from the node stream restored by said receiving means according to the sequence of arrangement in the node stream; [Piotrowski, paragraph [0017] with Piotrowski, paragraph [0018] with Piotrowski, paragraphs [0023]-[0025]] and
- said reconstruction means adds a substitute structure portion relating to the
 descendant substitute display information to the tree structure under
 reconstruction in place of the descendant node relating to the descendant
 substitute display information when said extraction means extracts the
 descendant substitute display information;" [Piotrowski, paragraph [0017] with
 Piotrowski, paragraph [0018] with Piotrowski, paragraph [0009]] and
- wherein said display means displays said descendant substitute display information" [Piotrowski, paragraph [0018] with Piotrowski, paragraph [0025]].
 Piotrowski discloses the above limitations but does not expressly teach:
- "...tree-structured document storage means
- ...a plurality of...each assigned processing of one tree-structured document in a
 plurality of tree-structured documents to be transmitted

Art Unit: 2161

 ...inter-document priority presentation means of presenting inter-document priorities set as transmission priorities with respect to the plurality of treestructured documents to be transmitted;

- ...multiplexed
- ...demultiplexing means of demultiplexing the multiplexed stream into the plurality
 of node streams contained in the multiplexed stream;
- a plurality of ...each assigned processing of one node stream in the plurality of node streams demultiplexed by said demultiplexing means
- ... wherein said node priority presentation means presents a node priority which
 is set based on a characteristic of the appearance of said node when displayed."
 With respect to Claim 5, an analogous art, Miller, teaches:
- "...tree-structured document storage means" [Miller, col. 6, lines 60-67].
 With respect to Claim 5, an analogous art, Gutle, teaches:
- "...multiplexed [Gutle, col. 2, lines 10-30]
- ...demultiplexing means of demultiplexing the multiplexed stream into the plurality of node streams contained in the multiplexed stream;" [Gutle, col. 2, lines 10-30].

With respect to Claim 5, an analogous art, Sumita, teaches:

"...inter-document priority presentation means of presenting inter-document
priorities set as transmission priorities with respect to the plurality of treestructured documents to be transmitted" [Sumita, cols. 21-22, lines 65-6 with
Piotrowski, paragraph [0019]].

Art Unit: 2161

With respect to Claim 5 case law teaches:

"...a plurality of...each assigned processing of one tree-structured document in a
plurality of tree-structured documents to be transmitted [*In re Harza*, 274 F.2d
669, 124 USPQ 378 (CCPA 1960)]

...a plurality of ...each assigned processing of one node stream in the plurality of node streams demultiplexed by said demultiplexing means" [In re Harza, 274
 F.2d 669, 124 USPQ 378 (CCPA 1960)].

With respect to Claim 5, an analogous art, Dutta, teaches:

"...wherein said node priority presentation means presents a node priority which
is set based on a characteristic of the appearance of said node when displayed"
[Dutta, paragraph [0022]].

It would have been obvious to one of ordinary skill in the art at the time of the invention to combine Miller, Sumita, Gutle, and Dutta with Piotrowski because the inventions are directed towards storing and transmitting files.

Miller, Sumita, Gutle, and Dutta's inventions would have been expected to successfully work well with Piotrowski's invention because the inventions use storage areas and transmit files. Piotrowski discloses a method and apparatus for structured streaming of an XML document comprising storage devices, however Piotrowski does not expressly disclose that the storage devices are tree-structured, presenting interdocument priorities, transferring using multiplexing/demultiplexing, nor wherein said node priority is set based on a characteristic of the appearance of said node when displayed. Miller discloses a method and apparatus for automatically organizing

Art Unit: 2161

information comprising storage areas and a storage manager that files documents into appropriate folders and/or storage areas. Sumita discloses a document detection system with improved document detection efficiency comprising displaying documents according to priority. Gutle discloses a method and apparatus for the distribution of multi-media documents comprising multiplexing and demutliplexing a stream of data. Dutta discloses the presentation of salient features in a page to a visually impaired user (title) comprising showing only part of a document prior to optionally showing the rest.

It would have been obvious to one of ordinary skill in the art at the time of invention to take the folders/files from Miller, the multiplexing/demultiplexing from Gutle, the presenting inter-document priorities from Sumita, and the presentation of salient features from Dutta and install them into the invention of Piotrowski, thereby offering the obvious advantage of having an organized way of storing items on the storage device, sending multiple things through a stream of data (increasing the speed), displaying relevant documents first according to their priority, and obtaining an overview of the document (Dutta, paragraph [0022]).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Piotrowski such that Piotrowski has a plurality of document-by-document encoding and decoding means each assigned processing of one tree-structured document in a plurality of tree-structured documents to be transmitted since it has been held that a duplication of parts with function (*In re Harza*, 274 F.2d 669, 124 USPQ 378 (CCPA 1960)) is obvious. In this case it is obvious

Art Unit: 2161

because it would increase the speed of the Piotrowski so Piotrowski's invention does more than one document at a time.

Claim 7 can be mapped to Piotrowski (as modified by Miller, Sumita, Gutle, and Dutta) as follows: "The tree-structured document transmitting and receiving system according to claim 5, wherein, in each document-by-document decoding means of said tree-structured document receiving apparatus, said reconstruction means immediately replaces the substitute tree-structured portion relating to the descendant substitute display information in the tree structure under reconstruction with the descendant node when said extraction means extracts the descendant node while substitute display for the descendant node according to the descendant substitute display information is being performed" [Piotrowski, paragraph [0009] with Piotrowski, paragraph [0025]].

Claim 8 can be mapped to Piotrowski (as modified by Miller, Sumita, Gutle, and Dutta) as follows: "The tree-structured document transmitting and receiving system according to claim 5,

• wherein the multiplexed stream generation means of said tree-structured document transmitting apparatus further has node priority setting means of determining the importance of an information portion to be presented from each node to the receiving-side user on the basis of a content of the node, an attribute of the node, a content of the document, an attribute of the document, the tree structure, or a user instruction, and setting a node priority on the basis of the determination, [Piotrowski paragraph [0019]] and

Art Unit: 2161

wherein, in the multiplexed stream generation means of said tree-structured
document transmitting apparatus, said node priority presentation means presents
the node priority set by said node priority setting means" [Piotrowski paragraph
[0019]].

Claim 9 can be mapped to Piotrowski (as modified by Miller, Sumita, Gutle, and Dutta) as follows: "The tree-structured document transmitting and receiving system according to claim 5,

- wherein said tree-structured document transmitting apparatus further has interdocument priority setting means of setting inter-document priorities on the basis of the contents of the documents, the attributes of the documents, the degrees of relation with a search word relating to a search request from the receiving-side user, a user instruction from a transmitting-side user, or a user instruction from the receiving-side user, [Sumita, cols. 21-22, lines 65-6 with Piotrowski, paragraph [0019]] and
- wherein, in said tree-structured document transmitting apparatus, said interdocument priority presentation means presents the inter-document priorities set by said inter-document priority setting means" [Sumita, cols. 21-22, lines 65-6 with Piotrowski, paragraph [0019]].

Claims 27 and 29-31 encompass substantially the same scope of the invention as that of Claims 5 and 7-9, respectfully, in addition to a method and some steps for performing the system means of Claims 5 and 7-9, respectfully. Therefore, Claims 27

Art Unit: 2161

and 29-31 are rejected for the same reasons as stated above with respect to Claims 5 and 7-9, respectfully.

13. Claims 13, 15, 35, and 37 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent Application Publication No. 2003/0236903 (Piotrowski) in view of U.S. Patent Application Publication No. 2002/0143817 (Dutta et al.).

For Claim 13, Piotrowski teaches: "A tree-structured document receiving apparatus which receives a signal formed by converting on the basis of a predetermined network protocol a node stream [Piotrowski, paragraph [0022] with Piotrowski, paragraph [0015] with Piotrowski, Fig. 1] formed in such a manner that a node priority is set with respect to each of nodes [Piotrowski, paragraph [0019] with Piotrowski, paragraph [0017] with Piotrowski, paragraph [0022]] of a tree-structured document on the basis of the importance of an information portion to be presented from the node to a receiving-side user [Piotrowski, paragraph [0015] with Piotrowski, paragraphs [0007]-[0008] with Piotrowski, paragraph [0025]] while satisfying two conditions: a first condition that the node priority of the node is equal to or lower than that of a node which is an ancestor of that node, [Piotrowski, paragraph [0017] with Piotrowski, paragraphs [0008]-[0009]] and a second condition that if a plurality of nodes of the same priority exist, the nodes necessarily constitute one subtree; [Piotrowski, paragraph [0017] with Piotrowski, paragraphs [0008]-[0009]] and nodes or subtrees are arranged in a sequence on the basis of the node priorities, [Piotrowski, paragraphs [0007]-[0008]] said tree-structured document receiving apparatus having:

Art Unit: 2161

 receiving means of restoring the node stream from the signal received by the predetermined network protocol; [Piotrowski, paragraph [0015] with Piotrowski, paragraphs [0023]-[0025]]

- extraction means of extracting at least one of the nodes or the subtrees from the node stream restored by said receiving means according to the sequence of arrangement in the node stream; [Piotrowski, paragraph [0015] with Piotrowski, paragraphs [0023]-[0025]]
- reconstruction means of adding at least one of the nodes or the subtree in the
 extraction order to the tree-structured document under reconstruction;
 [Piotrowski, paragraph [0015] with Piotrowski, paragraphs [0023]-[0025]] and
- display means of displaying the tree-structured document in the current reconstructed state; [Piotrowski, paragraph [0025] with Piotrowski, paragraph [0009]]
- wherein, in the node stream restored by said receiving means, descendant substitute display information for substitute display on said display means for descendant nodes with respect to at least one of a node or a subtree existing as a parent of the descendant node is added immediately after at least one of the node or the subtree existing as a parent of the descendant node; [Piotrowski, paragraph [0017] with Piotrowski, paragraph [0018]]
- said extraction means extracts at least one of the nodes or the subtrees and the
 descendant substitute display information from the node stream restored by said
 receiving means according to the sequence of arrangement in the node stream;

Art Unit: 2161

[Piotrowski, paragraph [0017] with Piotrowski, paragraph [0018] with Piotrowski, paragraph [0015] with Piotrowski, paragraphs [0023]-[0025]] and

- said reconstruction means adds a substitute structure portion relating to the
 descendant substitute display information to the tree structure under
 reconstruction in place of the descendant node relating to the descendant
 substitute display information when said extraction means extracts the
 descendant substitute display information; [Piotrowski, paragraph [0017] with
 Piotrowski, paragraph [0018] with Piotrowski, paragraph [0009]] and
- wherein said display means displays said descendant substitute display information" [Piotrowski, paragraph [0018] with Piotrowski, paragraph [0025]].
 Piotrowski discloses the above limitations but does not explicitly teach:
- "...wherein said node priority is set based on a characteristic of the appearance of said node when displayed."

With respect to Claim 13, an analogous art, Dutta, teaches:

 "...wherein said node priority is set based on a characteristic of the appearance of said node when displayed" [Dutta, paragraph [0022]].

It would have been obvious to one of ordinary skill in the art at the time of invention having the teachings of Dutta and Piotrowski before him/her to combine Dutta with Piotrowski because both inventions are directed towards transmitting XML data.

Dutta's invention would have been expected to successfully work well with Piotrowski's invention because both inventions use XML. Piotrowski discloses a method and apparatus for structured streaming of an XML document (title) comprising

displaying an XML or parts of an XML document(s). However, Piotrowski does not expressly disclose wherein said node priority is set based on a characteristic of the appearance of said node when displayed. Dutta discloses the presentation of salient features in a page to a visually impaired user (title) comprising showing only part of a document prior to optionally showing the rest.

It would have been obvious to one of ordinary skill in the art at the time of invention having the teachings of Dutta and Piotrowski before him/her to take the presentation of salient features from Dutta and install it into the invention of Piotrowski, thereby offering the obvious advantage of obtaining an overview of the document (Dutta, paragraph [0022]).

Claim 15 can be mapped to Piotrowski (as modified by Dutta) as follows: "The tree-structured document receiving apparatus according to claim 13, wherein said reconstruction means immediately replaces the substitute tree-structured portion relating to the descendant substitute display information in the tree structure under reconstruction with the descendant node when said extraction means extracts the descendant node while substitute display for the descendant node according to the descendant substitute display information is being performed" [Piotrowski, paragraph [0009] with Piotrowski, paragraph [0025]].

Claims 35 and 37 encompass substantially the same scope of the invention as that of Claims 13 and 15, respectfully, in addition to a method and some steps for performing the system means of Claims 13 and 15, respectfully. Therefore, Claims 35

Art Unit: 2161

and 37 are rejected for the same reasons as stated above with respect to Claims 13 and 15, respectfully.

14. Claims 20, 22, 42, and 44 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent Application Publication No. 2003/0236903 (Piotrowski) in view of U.S. Patent No. 5,790,937 (Gutle), in view of U.S. Patent No. 5,907,841 (Sumita) further in view of U.S. Patent Application Publication No. 2002/0143817 (Dutta et al.).

For Claim 20, Piotrowski teaches: "A tree-structured document receiving apparatus which receives a signal formed by converting on the basis of a predetermined network protocol [Piotrowski, paragraph [0022] with Piotrowski, paragraph [0015] with Piotrowski, Fig. 1] a ... stream formed in such a manner that a node priority is set with respect to each of nodes [Piotrowski, paragraph [0019] with Piotrowski, paragraph [0017] with Piotrowski, paragraph [0022]] of a tree-structured document on the basis of the importance of an information portion to be presented from the node to a receiving-side user [Piotrowski, paragraph [0015] with Piotrowski, paragraphs [0007]-[0008] with Piotrowski, paragraph [0025]] while satisfying two conditions: a first condition that the node priority of the node is equal to or lower than that of a node which is an ancestor of that node, [Piotrowski, paragraph [0017] with Piotrowski, paragraphs [0008]-[0009]] and a second condition that if a plurality of nodes of the same priority exist, the nodes necessarily constitute one subtree; [Piotrowski, paragraph [0017] with Piotrowski, paragraph [0022]] in

Art Unit: 2161

each of which, with respect to one of a plurality of tree-structured documents to be presently transmitted, at least one of nodes or subtrees are arranged in a sequence on the basis of the node priorities related to the tree-structured document; [Piotrowski, paragraphs [0007]-[0008]] and the multiplexed stream is formed by multiplexing the node streams relating to the tree-structured documents to be presently transmitted, sequences in which at least one of the nodes or subtrees of the tree-structured documents are arranged being placed in the multiplexed stream according to ... set with respect to the tree-structured documents containing the nodes or subtrees, [Piotrowski, paragraphs [0007]-[0008]] said tree-structured document receiving apparatus having:

- receiving means of restoring the multiplexed stream from the signal received by the predetermined network protocol; [Piotrowski, paragraph [0015] with Piotrowski, paragraphs [0023]-[0025]]
- demultiplexing means of demultiplexing the multiplexed stream into the plurality of node streams contained in the multiplexed stream;
- ...document-by-document decoding means [Piotrowski, paragraphs [0015] with Piotrowski, paragraphs [0023]-[0025]]..., and each including extraction means and reconstruction means, said extraction means extracting the at least one of the nodes or subtrees from said processing-assigned node stream according to the sequence of arrangement in the node stream, said reconstruction means adding the nodes or subtree in the extraction order to the tree-structured document under reconstruction; [Piotrowski, paragraph [0015] with Piotrowski, paragraphs [0023]-[0025]] and

Art Unit: 2161

 display means of displaying the tree-structured document under reconstruction in each document-by-document decoding means, the tree structure being displayed in the current reconstructed state at a corresponding position; [Piotrowski, paragraph [0025] with Piotrowski, paragraph [0009]]

- wherein, in the node stream, descendant substitute display information for substitute display on said display means for descendant nodes with respect to at least one of a node or a subtree existing as a parent of the descendant node is added immediately after at least one of the node or the subtree existing as a parent of the descendant node; [Piotrowski, paragraph [0017] with Piotrowski, paragraph [0018]]
- said extraction means in said document-by-document decoding means extracts
 at least one of the nodes or the subtrees and the descendant substitute display
 information from the node stream according to the sequence of arrangement in
 the node stream; [Piotrowski, paragraph [0017] with Piotrowski, paragraph [0018]
 with Piotrowski, paragraph [0015] with Piotrowski, paragraphs [0023]-[0025]]
- said reconstruction means in said document-by-document decoding means adds
 a substitute structure portion relating to the descendant substitute display
 information to the tree structure under reconstruction in place of the descendant
 node relating to the descendant substitute display information when said
 extraction means extracts the descendant substitute display information; and
 [Piotrowski, paragraph [0017] with Piotrowski, paragraph [0018] with Piotrowski,
 paragraph [0009]]

Art Unit: 2161

 wherein said display means displays said descendant substitute display information" [Piotrowski, paragraph [0018] with Piotrowski, paragraph [0025]].
 Piotrowski discloses the above limitations but does not expressly teach:

- "...multiplexed
- …inter-document priorities
- ...demultiplexing means of demultiplexing the multiplexed stream into the plurality of node streams contained in the multiplexed stream;
- a plurality of ...each assigned processing of one node stream in the plurality of node streams demultiplexed by said demultiplexing means
- ...wherein said node priority is set based on a characteristic of the appearance of said node when displayed."

With respect to Claim 20, an analogous art, Gutle, teaches:

- "...multiplexed [Gutle, col. 2, lines 10-30]
- ...demultiplexing means of demultiplexing the multiplexed stream into the plurality of node streams contained in the multiplexed stream;" [Gutle, col. 2, lines 10-30].

With respect to Claim 20, an analogous art, Sumita, teaches:

• "...inter-document priorities" [Sumita, cols. 21-22, lines 65-6 with Piotrowski, paragraph [0019]].

With respect to Claim 20 case law teaches:

Art Unit: 2161

"...a plurality of ...each assigned processing of one node stream in the plurality of node streams demultiplexed by said demultiplexing means" [*In re Harza*, 274 F.2d 669, 124 USPQ 378 (CCPA 1960)].

With respect to Claim 20, an analogous art, Dutta, teaches:

 "...wherein said node priority is set based on a characteristic of the appearance of said node when displayed" [Dutta, paragraph [0022]].

It would have been obvious to one of ordinary skill in the art at the time of the invention to combine Sumita, Gutle, and Dutta with Piotrowski because the inventions are directed towards storing and transmitting files.

Sumita, Gutle, and Dutta's inventions would have been expected to successfully work well with Piotrowski's invention because the inventions use storage areas and transmit files. Piotrowski discloses a method and apparatus for structured streaming of an XML document comprising storage devices, however Piotrowski does not expressly disclose that the storage devices are tree-structured, presenting inter-document priorities, transferring using multiplexing/demultiplexing, nor wherein said node priority is set based on a characteristic of the appearance of said node when displayed. Sumita discloses a document detection system with improved document detection efficiency comprising displaying documents according to priority. Gutle discloses a method and apparatus for the distribution of multi-media documents comprising multiplexing and demutliplexing a stream of data. Dutta discloses the presentation of salient features in a page to a visually impaired user (title) comprising showing only part of a document prior to optionally showing the rest.

Art Unit: 2161

It would have been obvious to one of ordinary skill in the art at the time of invention to take the multiplexing/demultiplexing from Gutle, the presenting interdocument priorities from Sumita, and the presentation of salient features from Dutta and install them into the invention of Piotrowski, thereby offering the obvious advantage of sending multiple things through a stream of data (increasing the speed), displaying relevant documents first according to their priority, and obtaining an overview of the document (Dutta, paragraph [0022]).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Piotrowski such that Piotrowski has a plurality of document-by-document encoding and decoding means each assigned processing of one tree-structured document in a plurality of tree-structured documents to be transmitted since it has been held that a duplication of parts with function (*In re Harza*, 274 F.2d 669, 124 USPQ 378 (CCPA 1960)) is obvious. In this case it is obvious because it would increase the speed of the Piotrowski so Piotrowski's invention does more than one document at a time.

Claim 22 can be mapped to Piotrowski (as modified by Sumita, Gutle, and Dutta) as follows: "The tree-structured document receiving apparatus according to claim 20, wherein said reconstruction means in said document-by-document decoding means immediately replaces the substitute tree-structured portion relating to the descendant substitute display information in the tree structure under reconstruction with the descendant node when said extraction means extracts the descendant node while substitute display for the descendant node according to the descendant substitute

Art Unit: 2161

display information is being performed" [Piotrowski, paragraph [0009] with Piotrowski, paragraph [0025]].

Claims 42 and 44 encompass substantially the same scope of the invention as that of Claims 20 and 22, respectfully, in addition to a method and some steps for performing the system means of Claims 20 and 22, respectfully. Therefore, Claims 42 and 44 are rejected for the same reasons as stated above with respect to Claims 20 and 22, respectfully.

15. Claim 45 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent Application Publication No. 2003/0236903 (Piotrowski) in view of U.S. Patent Application Publication No. 2002/0143817 (Dutta et al.), further in view of U.S. Patent Application Publication No. 2001/0013046 (Katayama et al.).

For **Claim 45**, Piotrowski teaches: "A method comprising:

- transmitting a sequence of portions of a document, [Piotrowski, paragraph [0008] with Piotrowski, paragraph [0017]] said document including information defining document symbols and the locations of said document symbols on a page;
 [Piotrowski, paragraph [0017] with Piotrowski, paragraph [0022]]
- receiving a prioritized portion of said transmitted sequence of portions of said document; [Piotrowski, paragraph [0008] with Piotrowski, paragraph [0025]]
- displaying said received portions of said document" [Piotrowski, paragraph [0018]
 with Piotrowski, paragraph [0025] with Piotrowski, claim 8].

<u>Piotrowski discloses the above limitations but does not expressly teach:</u>

Art Unit: 2161

 "...wherein the priority of said prioritized portion is based on a characteristic of the appearance of said node when displayed;

 ...displaying substitute symbols in locations corresponding to portions of said document that have not been received."

With respect to Claim 45, an analogous art, Dutta, teaches:

- "...wherein the priority of said prioritized portion is based on a characteristic of the appearance of said node when displayed" [Dutta, paragraph [0022]].
 With respect to Claim 45, an analogous art, Katayama, teaches:
- "...displaying substitute symbols in locations corresponding to portions of said document that have not been received" [Katayama, paragraph [0012]].

It would have been obvious to one of ordinary skill in the art at the time of invention having the teachings of Dutta, Katayama, and Piotrowski before him/her to combine Dutta and Katayama with Piotrowski because the inventions are directed towards data transmission.

Dutta and Katayama,'s inventions would have been expected to successfully work well with Piotrowski's invention because the inventions use computers with data files and portions of data files. Piotrowski discloses a method and apparatus for structured streaming of an XML document (title) comprising displaying an XML or parts of an XML document(s). However, Piotrowski does not expressly disclose wherein the priority of said prioritized portion is based on a characteristic of the appearance of said node when displayed nor displaying substitute symbols in locations corresponding to portions of said document that have not been received. Dutta discloses the

Art Unit: 2161

presentation of salient features in a page to a visually impaired user (title) comprising showing only part of a document prior to optionally showing the rest. Katayama discloses a method and system of creating data for printing (title) comprising inserting dummy data (which must be symbols) for data not received.

It would have been obvious to one of ordinary skill in the art at the time of invention having the teachings of Dutta, Katayama and Piotrowski before him/her to take the presentation of salient features from Dutta and the symbols from portions of a document that have not been received from Katayama and install them into the invention of Piotrowski, thereby offering the obvious advantage of obtaining an overview of the document (Dutta, paragraph [0022]) and knowing the number of unreceived data parts.

16. Claim 46 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent Application Publication No. 2003/0236903 (Piotrowski) in view of U.S. Patent Application Publication No. 2002/0143817 (Dutta et al.), in view of U.S. Patent Application Publication No. 2001/0013046 (Katayama et al.), further in view of "Ellipsis" (Wikipedia).

For **Claim 46**, Piotrowski (as modified by Dutta and Katayama) teaches: "A method according to claim 45."

<u>Piotrowski (as modified by Dutta and Katayama) discloses the above limitations</u> <u>but does not expressly teach</u>: "...wherein said displaying comprises displaying a Art Unit: 2161

repeated character in said locations corresponding to portions of said document that have not been received."

With respect to Claim 46, an analogous art, Wikipedia, teaches: "...wherein said displaying comprises displaying a repeated character in said locations corresponding to portions of said document that have not been received" [Wikipedia, p.1].

It would have been obvious to one of ordinary skill in the art at the time of invention having the teachings of Wikipedia and Piotrowski (as modified by Dutta and Katayama) before him/her to combine Wikipedia with Piotrowski (as modified by Dutta and Katayama) because both inventions are directed towards text/data.

Wikipedia's invention would have been expected to successfully work well with Piotrowski (as modified by Dutta and Katayama)'s invention because both inventions use text/data with missing text/data. Piotrowski discloses a method and apparatus for structured streaming of an XML document (title) comprising displaying an XML or parts of an XML document(s). However, Piotrowski (as modified by Dutta and Katayama) does not expressly disclose displaying a repeated character in said locations corresponding to portions of said document that have not been received. Wikipedia discloses the use of an Ellipsis comprising using it to represent omission of text/data.

It would have been obvious to one of ordinary skill in the art at the time of invention having the teachings of Wikipedia and Piotrowski (as modified by Dutta and Katayama) before him/her to take the Ellipsis from Wikipedia and install it into the invention of Piotrowski (as modified by Dutta and Katayama), thereby offering the

Art Unit: 2161

obvious advantage of showing to the viewer missing information in the locations of the missing information.

17. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 2161

Conclusion

18. Any prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Applicant is advised that, although not used in the rejections above, prior art cited on any PTO-892 form and not relied upon is considered materially relevant to the applicant's claimed invention and/or portions of the claimed invention.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brent S. Stace whose telephone number is 571-272-8372 and fax number is 571-273-8372. The examiner can normally be reached on M-F 9am-5:30pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Apu M. Mofiz can be reached on 571-272-4080. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/BRENT STACE/ Examiner, Art Unit 2161

Art Unit: 2161

/Apu M Mofiz/ Supervisory Patent Examiner, Art Unit 2161